

Contra Costa Environmental Health 2120 Diamond Blvd., Suite 200 Concord, CA 94520

Phone: (925) 692-2500 Fax: (925) 646-2502 www.cchealth.org/eh/

ENVIRONMENTAL HEALTH PERMIT FEE SCHEDULE Effective February 4, 2014

| SWIMMING POOLS / SPAS | | |
|---------------------------------------|----------------------|-------------|
| CATEGORY | | FEE |
| Swimming Pool (Apt, Motel, Hotel) | Multi-Use | \$ 730.00 |
| | Each additional pool | \$ 261.00 |
| Spa (Apt, Motel, Hotel) | Multi-Use | \$ 631.00 |
| | Each additional spa | \$ 261.00 |
| Public School/Municipal/ Public Pools | | \$730.00 |
| | Additional Pool | \$261.00 |
| Public School/Municipal/Public Spas | | \$631.00 |
| | Additional Spa | \$261.00 |
| Recreational Water Park | One system | \$ 1,263.00 |
| | Each additional | \$ 631.00 |
| Splash/Spray Park | One system | \$730.00 |
| | Each additional | \$ 261.00 |

| MISCELLANEOUS FEES | | |
|-------------------------------------|---|--------------|
| Application Fee | Non-Refundable | \$ 39.00 |
| | | |
| General Program Fee | Violation Re-inspection | \$ 174.00/hr |
| | Change of Ownership / Site Evaluation | \$ 213.00 |
| | | |
| Special Services Fee (Min. 1 hour) | Administrative Hearings | \$ 174.00/hr |
| | Field & Office Consultations | \$ 174.00/hr |
| | Non-Routine Site Evaluations | \$ 174.00/hr |
| | Non-Routine Field Inspections and/or Re-inspections | \$ 174.00/hr |
| | | |
| Special Services Fee (Min. 2 hours) | Health Officer Appeal Hearing | \$ 348.00 |

NOTE:

- Second re-inspection of verified complaints will be charged to the property owner/responsible party.
- A \$174.00 fee will be charged for verified complaints at permitted and fee exempt facilities.
- Additional charges will be incurred after the minimum hourly charges have been expended. Services provided after normal work hours
 will be charged at \$224.00 per hour, above and beyond the cost of the permit.
- Penalties: Penalties will be imposed for delinquent payments as provided in County Ordinance No. 93-58; Article 413-3.1206