

**CONTRA COSTA HEALTH SERVICES
EMERGENCY MEDICAL SERVICES**

Tactical First Responder Paramedic Equipment List

General Emergency Care Equipment and Supplies

Tactical First Responder paramedic units shall meet requirements for emergency care equipment and supplies specified by Contra Costa EMS. All equipment and supplies carried for use in providing emergency medical care shall be maintained in clean condition and good working order and shall include, but not be limited to:

ITEMS	Minimum Inservice Requirement
Oropharyngeal airways: 4, 5, 6	1 each
Nasopharyngeal airways: 30, 32, 34	1 each
Oxygen mask – adult non-rebreather	2
Nasal cannula – adult	2
Portable O ₂ tank with regulator (sufficient to provide patient with not less than 10 lpm for 20 minutes)	1
Adult Resuscitation Bag-Valve, with clear mask capable of use with O ₂	1
Portable Suction – mechanical/hand powered	1
Pharyngeal tonsil tip (rigid) for suctioning	2
Band-Aids	12
4” Sterile bandage compresses or equivalent	12
3x3” or 4x4” sterile gauze pads	4
2” or 3” rolled bandages	6
40” triangular bandages	2
10x30” or larger universal dressing	1
1”, 2” or 3” adhesive tape	2 rolls
Bandage shears	1
Vaseline gauze	2
Arm splints – with soft or cushioned surface or equivalent padded board, wrap around, wire ladder, inflatable, vacuum or cardboard	2
Leg splints – with soft or cushioned surface or equivalent padded board, wrap around, wire ladder, inflatable, vacuum or cardboard	2
Padded Spineboard – long with 4 straps (or equivalent)	1
Head immobilizer – disposable or impervious to bodily fluids	2
Cervical collars – Hard: sizes to fit adult patients	2
<i>Optional: adjustable cervical collar (hard only – sizes to fit adult patients)</i>	2
Blood pressure cuffs with manometers (portable): Adult, Large arm	1 each
Stethoscope: Adult combination	1
Burn sheets (sterile) – may be disposable or linen (with date of sterilization and expiration indicated)	1 set

Saline for irrigation, sterile:	500cc
Cold packs	2
Emergency thermal blanket (reflective foil) or equivalent	2
Triage tags	20
Current Contra Costa EMS Field Manual and policies	1
Battery operated flashlight	1
Glucose paste	2

Tactical First Responder Paramedic Equipment and Supplies: In addition to the BLS supply/equipment requirements, advanced life support units shall include, but not be limited to, the following:

ITEMS	Minimum Inservice Requirement
Cellular telephone	1
Monitor/defibrillator (portable) – must have strip chart recorder and synchronized cardioversion capabilities	1
Extra charged batteries for monitor/defibrillator	1
Defibrillator paddles/patches: Adult	1 set
Laryngoscope handle	1
Laryngoscope blades: #3, 4 Miller	1 each
Laryngoscope blades: #3, 4 Macintosh	1 each
Endotracheal tubes: 6.0, 7.0, 8.0, 9.0 cuffed	2 each
Endotracheal tube introducer (Bougie)	1
Water soluble lubricant – individual packets	3
Magill forceps: Adult	1
Batteries (extra) for laryngoscope	1 set
Bulbs (extra) for laryngoscope	1
ETT securing device: Adult	1
Stylet: Adult	1
Pen light	1
End-Tidal CO ₂ (ETCO ₂) detector (colorimetric)	2
King Airway Kit Tube – size 4 and 5 Syringe Lubricant	1
Hand-held nebulizer for inhalation	2
ETT Nebulizer Adapter	1
Pleural Decompression/Needle Thoracostomy kit: (or equivalent) ✓ Angiocatheter – 12 ✓ Syringe – 30cc ✓ One-way valve ✓ Rubber connecting tube ✓ Betadine swabs (4)	2 sets

<ul style="list-style-type: none"> ✓ Alcohol swabs (4) ✓ Vaseline gauze (2) ✓ Sterile gauze pads (2) ✓ Tape 	
IO insertion device e.g. EZIO	1
Intraosseous needle –25mm (blue); 45mm (yellow)	1 ea
IO-Stabilizer	1
Syringes: 1cc, 3cc, 5cc, 10cc, 50cc	2 each
Needles: 18ga, 20ga, 22ga, 25ga (or equivalent)	2 each
Medication-added labels	2
IV catheters: 16ga, 18ga	4 each
Alcohol swabs	5
Tourniquet	2
Tourniquet (arterial occlusion)	2
Normal Saline solution – 1000cc bag for adult patients	2 liters
Saline lock with extension tubing	2
IV tubing: mini drip (60gtt), macro drip (10/15gtt), extension tubing (or equivalent)	2 each
Secured drug box	1
Glucometer (with lancets and test strips)	1
Adenosine	18mg
Albuterol (2.5mg/3ml unit dose ampule)	4
Amiodarone (150mg/3ml ampule)	2
Atropine (1mg preload)	2
Aspirin (81mg tablets)	1 bottle
Diphenhydramine (Benadryl) (50mg/1cc)	1
Calcium Chloride (1 gm)	1
Dextrose 50% (25gm/50cc) or Dextrose 10% (250 ml/bag)	1
Epinephrine 1:10,000 (1mg/10cc)	4
Epinephrine 1:1,000 (1mg/1cc)	2
Fentanyl (50 mcg/ml)	200 mcg
Glucagon (1mg/1cc)	optional
Lidocaine 2%	100 mg
Midazolam (Versed) (5mg/ml ampule/vial)	10 mg
Naloxone (Narcan)	4 mg
Nitroglycerin (0.4 mg/tab or multidose spray)	1 bottle
Sodium Bicarbonate (50mEq/50cc)	1