

WILLIAM B. WALKER, M.D.  
HEALTH SERVICES DIRECTOR

RANDALL L. SAWYER  
CHIEF ENVIRONMENTAL HEALTH AND  
HAZARDOUS MATERIALS OFFICER

CONTRA COSTA  
HEALTH SERVICES  
HAZARDOUS MATERIALS PROGRAMS

4585 Pacheco Boulevard, Suite 100  
Martinez, California  
94553-2233  
Phone (925) 335-3200  
Fax (925) 646-2073

ENTERED



**COMPLAINT, INCIDENT, AND NOTIFICATION REPORT FORM**

Type (Circle One):  C  I  N

Received Date: 03/27/18 Received Time: 1400 Received By: SH Lead: Heller

Incident Date: \_\_\_\_\_ Incident Time: \_\_\_\_\_ Assigned to: \_\_\_\_\_ Assigned Date: \_\_\_\_\_

CASE NUMBER: 18-03-27 - 01

**COMPLAINANT / REPORTING PARTY:**

Name: Scott Possin  RP is from Facility  Anonymous

Organization: East Bay Regional Parks

Primary Phone Number: 510-277-5474 Secondary Phone Number: \_\_\_\_\_

Email: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

**FACILITY / LOCATION OF INCIDENT:**

Name: Miller Knox Shoreline Park CUPA Facility I.D.: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Address: \_\_\_\_\_ Unit: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Location Description: \_\_\_\_\_

**INITIAL INCIDENT DESCRIPTION:** Metals in bathroom appear to be etched by an acid. Employee experienced respiratory distress when attempting to clean up.

**INCIDENT TYPE / DESCRIPTION:**

Community Warning System Level (Circle Highest Level):  N/A  0  1  2  3

FACILITY	ISO / MCAR	TRANSPORTATION	MISCELLANEOUS
<input type="checkbox"/> Fire or Explosion	<input type="checkbox"/> Fatality (one or more)	<input type="checkbox"/> Tank Truck	<input type="checkbox"/> Storm Drain/Creek
<input type="checkbox"/> Spill or Release	<input type="checkbox"/> > 24 hrs. Hospital, 3 or more people	<input type="checkbox"/> Railroad	<input checked="" type="checkbox"/> Drug Lab
<input type="checkbox"/> Startup or Shutdown	<input type="checkbox"/> Flammable Vapor Cloud > 5,000 lbs.	<input type="checkbox"/> On Water	<input checked="" type="checkbox"/> Disposal/Abandonment
<input type="checkbox"/> Flaring		<input type="checkbox"/> Pipeline	<input type="checkbox"/> Odor Complaint
<input type="checkbox"/> Upset		<input type="checkbox"/> Fuel Tank	<input type="checkbox"/> Other:

Time Enroute to Scene: \_\_\_\_\_ Time Arrived On Scene: 1445 Time Departed From Scene: 1530

**REFERRED TO OTHER AGENCY:**

**DTSC STATE FUNDING (if applicable):** CLU/ERER Number: \_\_\_\_\_

**STORMWATER STATUS (if applicable):**  Actual Discharge  Potential Discharge



**AGENCIES ON SCENE OR NOTIFIED:**

<b><u>Agency Type</u></b>	<b><u>Agency</u></b>	<b><u>O/N</u></b>	<b><u>Contact Person</u></b>	<b><u>Phone Number</u></b>	<b><u>Case Number</u></b>
Fire Department	Richmond Fire Dispatch	N	Dispatcher		none
Law Enforcement					
Air District					
State OES					

**REPORT:**

Park ranger was attempting to clean restroom at Miller Knox park in the morning. He experienced respiratory distress and looked up to see that the stainless steel surfaces in the restroom had been rusted overnight. The ranger locked the bathroom door and left it alone. A few hours later they contacted Contra Costa Hazardous Materials programs with these issues.

HMS Heller and Dempsey responded to the park. They noted that all metal surfaces had shown impacts of acid fume exposure. Chrome, steel, aluminum and brass surfaces all showed the signs of exposure to acid. Residue on flat surfaces had pH readings of between 3 and 4 however reactions had gone to completion and all that was left to do was clean up. HMS instructed park rangers that they could clean the bathroom with a baking soda neutralization solution and copious amounts of water. They may then need to retreat and coat metals with protective oil or other material to guard against marine environment since any existing protective coatings had been etched away. Park maintenance staff and rangers were comfortable performing that level of clean up.

HMSs could not speculate on a source or a reason for the acid damage to the restroom but the pH readings were indicative of a fuming acid release at some point previously in the restrooms.

**Additional Required Items: Bill of Lading, Request for Invoice, and Site Safety Plan**

Report Prepared by: SH