

cchealth.org

Sidewalk Food Vending

Jessica Collado, REHS Kareem Mohsen, REHS

June 2023

When is a Health Permit Required?

Any food or beverage provided to the public requires a health permit, with some exceptions.

Contra Costa Environmental Health Permits

- Mobile Food Facility (MFF)
- Cottage Food Operation (CFO)
- Temporary Event Facility (TFF)
- Catering
- Retail Food Facility



What is a Mobile Food Facility (MFF)?



Types of Food Operation

- Pre-packaged, non-Potentially Hazardous Food (PHF)
- Whole Produce
- Limited Food Preparation
- Full Preparation

Types of Structural Units

Unenclosed MFF Units (CMFOs)

- Push Carts
- Stands
- Tables

Enclosed MFF Units

- Trailers
- Food Trucks

New Regulations for Sidewalk Vendors

New regulations as of January 1, 2023

- ➤ Compact Mobile Food Operations (CMFO)
- Expands the definition of limited food preparation
- > Reduces structural requirements
- ➤ Health permit exemption for pre-packaged, non-potentially hazardous (PHF) foods or whole produce (less than 25 square feet)



Exempt Street Vendor Requirements

- Selling 25 square feet or less
- Food is prepackaged, non-PHF or whole produce E.g. chips, bottled beverages, candy, whole fruit or uncut vegetables
- Food must come from approved source
- Food stored in safe and sanitary manner
- Overhead protection
- Restroom available

If selling more than 25 square feet, a health permit <u>is</u> required.



Structural
Requirements for
Street Vending
(CMFOs)



What is a Compact Mobile Food Operation (CMFO)?

CMFOs must meet two requirements:

ONLY CONDUCT
"LIMITED FOOD PREPARATION"

UNENCLOSED (OPEN) MOBILE FOOD UNIT

Limited Food Preparation – Allowed

- 1. Assembly of open foods
- 2. Dispensing and portioning non-PHF
- 3. Dispensing and portioning temperature-controlled food
- 4. Holding, portioning and dispensing foods prepared or prepackaged in a permanent food facility or by a catering operation
- 5. Slicing and chopping non-PHF or produce washed at an approved facility

Limited Food Preparation – Allowed

- 6. Slicing and chopping food on a heated cooking surface
- 7. Cooking and seasoning to order
- 8. Juicing or preparing beverages to order that do not contain frozen milk products
- 9. Hot and cold holding of food that has been prepared at an approved food facility
- 10. Reheating food prepared at an approved food facility and held at proper temperatures

Limited Food Preparation - Not Allowed

- 1. Slicing and chopping PHF, unless on heated cooking surface
- 2. Thawing
- 3. Cooling cooked PHF
- 4. Grinding raw ingredients or PHF
- 5. Washing foods
- 6. Cooking PHF for later use
- 7. Handling, manufacturing, freezing, processing, or packaging milk, milk products, or products resembling milk products

These become **Full Preparation** and require a full enclosed permit



Examples of CMFOs







CMFO Requirements

Pre-packaged,
non-potentially hazardous
food, more than 25 ft



Pre-packaged,
potentially hazardous food



Limited Food Preparation (no raw meat)



Limited Food Preparation (with raw meat)



REQUIREMENTS

Access to commissary
Food is from an approved source
Overhead protection
Proper food storage

- Mechanical refrigeration/Hot holding unit
 - Unsold food discarded at end of day
 - 3 compartment sink (not required with extra utensils)
 - Handwash sink

- 3 compartment sink
- Handwash sink (with hot water)

Food Handler Card

Warewashing & Handwashing



Handwashing Sink

Required when handling open foods

Warewashing Sink

- Required if handling open foods unless vendor can maintain adequate supply of spare utensils
- Required if handling raw meat, poultry or fish

Hot Water

- Only required if handing raw meat, poultry or fish
- Must measure at least 100° F

Warewashing & Handwashing Sinks



Require potable water and wastewater tanks


Potable Water Tank Size

- Handwashing sink must hold at least 5 gallons of water
- Warewashing (3-compartment) sink must hold at least 15 gallons of potable water

Wastewater Tank Size

Must be 1.5 times the size of potable water tank

Permitting Process – Start with Plan Review



MFF Plan Review

Plan review verifies specific requirements for construction of an MFF unit

An MFF unit must be approved before a health permit can be is issued





Mobile Food Facility (MFF) Const

	Ice Pin C	Chi
	Vol.	
	Volume:	
	Tanks shall be vented to a	
	Tonton or equivalent, Wastern Width:	
	Tanks shall be vented to flow. Vents must terminate in a downward direction and covered with 16 Tanks must be cleanable and labeled according to use. Water heater must deliver a minimum of 1 gallon per minute and have a prepackaged, non-potentially be the start of the start o	
	water heater must deli and labeled according a valve that allows	
	gallons. Unenclosed a minimum of 1	j_
	prepackaged, non-potential that handle hat gallon per minute.	
	neater capacity for hear lally hazardous for logs, tamales in original have a minimum	
	Water heater must be cleanable and labeled according to use. Water heater must deliver a minimum of 1 gallon per minute and have a minimum capacity of 4 prepackaged, non-potentially hazardous foods (ex: shaved ice) only, requires a ½ gallon hot water than wash sink (standard size is on.	
9	Hand wash sink (ctan) and non-	
T	prepackaged, non-potentially hazardous foods (ex: shaved ice) only, requires a ½ gallon hot water Type: Hand wash sink (standard size is 9" x 9" x 5"depth) The ware washing sink washing	
L	The ware washing at the Width. Size in gallons:	
	the mobile. The drain Depth:	
	the mobile. The drain boards must be the same size of the compartments. Indicate the size of each materials as approved by an A approved by a approved by a approved by a approved by a approved	
П	Length: Length	
	Potable water plant is Width. Width	
	materials as appearant fill lines partials as appearant fill lines partial fill lines partials as appearant fill lines partial fill lines	
П	organization for dried by an American Depth:	
Ц	Potable water plumbing and fill lines. Potable water equipment must be constructed of food grade organization for drinking water. Waste water disposal plumbing, valves and backflow prevention devices. Waste water waste water form as potable water hoses. Ice bins must be constructed of food grade water disposal plumbing, valves and backflow prevention devices.	
	be the same color as plumbing, valves and the same color and the same colo	
,	valved to prevent we potable water hoses. I	
Equipm	waste water from falling must drain just drain just	
Equipme	Waste water disposal plumbing, valves and backflow prevention devices. Waste water hoses shall not a waste tank. Waste tanks must be constructed of food grade testing water disposal plumbing, valves and backflow prevention devices. Waste water hoses shall not a waste tank. Waste tanks must be constructed of food grade and water disposal plumbing, valves and backflow prevention devices. Waste water hoses shall not a waste tank. Waste tanks must be constructed of food grade and water disposal plumbing, valves and backflow prevention devices. Waste water hoses shall not a waste tank. Waste tanks must be constructed of food grade and water disposal plumbing, valves and backflow prevention devices.	
	waste water disposal plumbing, valves and backflow prevention devices. Waste water hoses shall not early all equipment. Standards Institute (ANSI) accredited testing wasted to prevent waste water hoses. Ice bins must drain into a waste tank. Waste tanks must be sent.	
□ Al	ll equipment must be commercial grade and meet ANSI standards or equivalent (e.g., NSF, ETL, or preparation tables, surfaces	
	-Sanitation).	
Me	construction). Schanical refrigeration shall meet current ANSI standards or equivalent (e.g., NSF, ETL, or possible of preparation tables, surfaces, and equipment must be NSF or equivalent ANSI standards. It is plate refrigerators are not important must be spaced apart or electrical safety. P.	
□ Foo	Droved for holding as shall meet current	
- F00	d preparation tables, surfaces, and equipment must be NSF or equivalent. All electrical appliances functions that the spaced apart or sealed together for ease of cleaning. There are not research to the functional standards of equipment or on the sixty.	- 1
Snal □ Fore	I meet applicable UL standards for electrical safety. Provide specification sheets on all equipment must be spaced apart or sealed together for ease of cleaning. There shall be a minimum as a pressor units that are not applicable and the standards at least 62 and adjacent equipment.	- 1
L'equi	pment must be specified must be NSF or contributions are not	
4 01	unobstructed spaced apart or sealed to a safety. Provide space and a safety and safety a	
□ Com-	ment must be sent at the sent	
Comp	pressor units that to the floor or raised on the sides of adjace. There shall be a wife and equipment.	
simila	I meet applicable UL standards for electrical safety. Provide specification sheets on all equipment must be spaced apart or sealed together for ease of cleaning. There shall be a minimum of meets or units that are not an integral part of food equipment, auxiliary and that is accessible to the floor.	
100d st	torage and that is a smalled in an area of food equipment	
Ventilation	or specification sheets on all equipment. There shall be a minimum of coressor units that are not an integral part of food equipment, auxiliary engines, generators, and torage and that is accessible from outside the unit for proper cleaning and maintenance.	
	the unit for proper classification food preparations, and	
Com.	cleaning and maintenance	
(must	mechanical	
A 6 in i	eet California Mechanistion over cooking	
1 0-inch	rcial mechanical ventilation over cooking equipment and associated fire suppression system hood overhang (front and side) shall be provided over the suppression system.	
	s (front and side) shall be required associated fire suppression	
n- 0 /a -	rcial mechanical ventilation over cooking equipment and associated fire suppression system hood overhang (front and side) shall be provided over all equipment.	
v 9/2019	respinent under the hour	
	Page 2 of 3	

When is a Plan Review Required?

Plan Review Required if...

- 1. Buying or building a new mobile food unit
- 2. Remodeling an existing MFF unit

Contra Costa Environmental Health

2023

Mobile Food Permit

0302

Expires 12-31-23

Contra Costa
Environmental Health

2022

Mobile Food Permit

0297

Expires 12-31-22

Contra Costa Environmental Health


2021

Mobile Permit
0355

Expires 12-31-21

Plan Review NOT Required if...

- 1. Buying a used previously permitted (by another CA county in the past) MFF unit
 - Must provide proof
- 2. Selling the following food items:
- Pre-packaged ice cream (push carts or vehicles)
- Whole Produce only
- Pre-packaged non-PHF only



MFF Plan Check Process

1. Submit plans to Contra Costa County Environmental Health for review

2. Include required documents

- 1. Floor Plan Drawings of MFF unit with location of all equipment
- 2. Finish Schedule Material used for construction
- 3. Equipment Schedule Equipment specifications (make, model, etc.)
- 4. Plumbing Plans Drawing showing plumbing, water tanks, water heater etc.
- 5. Menu/Type of Food

Plan Check for a CMFO - Examples

Menu

LIST OF MENU/ITEMS BEING SOLD

Espresso, Lattes, Acai Bowl, Fruit Smoothies, Prepackaged Nutrition Bars, and Wh

Finish Schedule

FINISH MATERIALS

*Raw wood not permitted to be used as exterior CMFO material


LOCATION/EQUIPMENT	MATERIAL
Exterior of CMFO	Stainless Steel
Interior of CMFO	Stainless Steel/ Fiberglass Reinforced Panel (FRP)
Food Storage Area	FRP
Food Preparation Compartment	N/A
Other:	Exterior Vinyl Trim

Equipment Schedule


FOOD SERVICE EQUIPMENT LIST


EQUIPMENT	MANUFACTURER	MODEL
Espresso Machine	Nuova Simonelli	Appia Life Compact2
Blender	Vita Mix	36019-ABAB
Undercounter Refrigerator	Bev-Air	UCR27HC
Coffee Brewer	Bunn	Axiom DV APS
Air Pots	Bunn	32130.000
Acrylic Prepackaged Food Display	Custom	Custom
Bin with 2 Piece Lid	Moli International	BIB-1118-D 13"
'spenser	San Janmar	S30TBK
1 Dispenser	Bobrick	B-2620

Floor Plan (blueprints)




Floor Plan (blueprints)





Floor Plan (blueprints)


Plumbing Plan



WATER PUMP MANUFACTURER AND MODEL: Pentair Shurflo 2088-594-144


WATER HEATER MANUFACTURER AND MODEL: EEMax MiniTank EMT 6

LEFT END FROM CUSTOMER SIDE VIEW OF CMFO




- 1. 3-Compartment Sink
- 2. Coffee Brewer
- 3. Airpot Coffee Dispenser
- 4. Quick Disconnect Potable Water fill with Chain And Cap

RIGHT END FROM CUSTOMER SIDE VIEW OF CMFO



- 1. Point of Sale Register
- 2. Flavored Syrup with Pump
- 3. Espresso Machine
- 4. Cup Storage Area

Permitting Process – Apply for a Permit to Operate



Permitting Application Process

What do I need before applying for a Permit?

Commissary

Signed Form

Operating at a fixed location Parking
Wastewater disposal

Documents

Photo Identification

DMV registration, if applicable

Commissary

Main Commissary: Business location that provides all services available for different MFFs

Restaurant/Production Kitchen: A permitted kitchen specifically for MFF

Home Commissary: Overnight storage for CMFO's (only for specific type of vendors)

Commissary Services

- Commercial Cooking Kitchen
 Overr
- ☐ Food/Equipment Dry Storage
- ☐ Refrigerated/Frozen Food Storage
- ☐ Warewashing Area
- ☐ Potable Water Supply

- ☐ Overnight MFF Parkin/Storage
- ☐ Liquid Waste Disposal
- ☐ Electrical Hook Up
- ☐ Grease/Oil Disposal
- ☐ Garbage and Refuse Disposal

Home Commissary




- Evaluation required to store a CMFO at home
- Can only store pre-packaged non-PHF, whole fruit and whole vegetables
- Limit of 2 CMFOs per home

Home Commissary Evaluation

- ✓ Overhead protection, enclosed space or cart cover
- ✓ Prevent unapproved access to CMFO
- ✓ Prevent vermin shelter or infestation
- ✓ Approved flooring in storage area
- ✓ Operator can access CMFO at any time

Permit Application



- Submit application
- Application is processed
- Inspector will call to schedule inspection
- For application form, visit
 cchealth.org/eh/food/#mobile

https://cchealth.org/eh/food/pdf/MFF-app-packet.pdf

What to expect during the permit year

- Permit Inspection (annual)
- Routine Inspection (1/year)
- Apply for permit renewal by December




MFF Inspections


Permit Inspection

Structural inspection of MFF unit

Routine Inspection

- Unannounced while actively operating
- Evaluate critical risk factors







Operating Requirements

Location

Follow cities' requirements

 Incorporated (city/town) vs. unincorporated (county)

Location cannot:

- Endanger pedestrian safety
- Obstruct parking and traffic regulations

Hours

Follow cities' requirements

En Route: moving locations after 1-2 hours of operating

Fixed Location: operating in same location for more than 1-2 hours

Unincorporated:


- Can't operate 8 p.m. 6:30 a.m.
- Maximum operation time:
 - Motorized 1 hour
 - Non-motorized 2 hours

Restrooms

- Enclosed mobile food units must operate within 200 feet of a restroom if operating for more than 1 hour in a fixed location
- CMFOs are exempt if operated by more than 1 employee

Full Preparation MFF

- More structural requirements than CMFOs
- Contact us for more information
 - Review Constructions
 Checklist
 - Set up in-person consultation



Contra Costa Environmental Health Website

https://cchealth.org/eh/food/#mobile

How to schedule a consultation



cchealth.org

Thank You

Contra Costa Environmental Health 2120 Diamond Blvd., Ste. 100 Concord

Mobile Food Program Inspectors:
Jessica Collado
Kareem Mohsen

(925) 608-5500

<u>Retail.food@cchealth.org</u>

cchealth.org/eh