

CONTRA COSTA COUNTY TOBACCO PREVENTION COALITION

TOBACCO FACTS

Compiled by the Contra Costa County Tobacco Prevention Project April, 2009

rv .

ADVISORY BOARD

ALCOHOL AND OTHER

AMERICAN HEART ASSOCIATION

AMERICAN LUNG ASSOCIATION

BAY AREA COMMUNITY RESOURCES

CENTER FOR HUMAN DEVELOPMENT

COMMUNITY HEALTH EDUCATION INSTITUTE

COMMUNITY CLINIC CONSORTIUM OF CONTRA COSTA COUNTY

> CONTRA COSTA CHILD CARE COUNCIL

CONTRA COSTA COUNTY OFFICE OF EDUCATION In Partnership with Public School District Tobacco Coordinators

CONTRA COSTA HEALTH SERVICES: Contra Costa Health Plan Public Health Division

ETA – EMPOWERMENT THROUGH ACTION

INTERNATIONAL BROTHERHOOD OF ELECTRICAL WORKERS LOCAL 302

NEW CONNECTIONS

PITTSBURG PRESCHOOL COORDINATING COUNCIL

PLANNED PARENTHOOD: SHASTA-DIABLO

RAINBOW COMMUNITY CENTER

RIDE

UJIMA FAMILY RECOVERY SERVICES

WEST COUNTY ASTHMA COALITION

PARTICIPATING RESIDENTS
OF THE COUNTY

STAFF: Tobacco Prevention Project Community Wellness & Prevention Program 1. FACT: Number of people who die from smoking related diseases each year:

Nationally

438,000 Overall 400,000 from Smoking 38,000 from Secondhand Smoke

Source: Center for Disease Control and Prevention Tobacco Information and Prevention Source (TIPS),

http://www.cdc.gov/tobacco/data statistics/fact sheets/health effects/tobacco r

elated mortality.htm

Tobacco Related Mortality, September, 2006

California

36,684 Overall 32,484 from Smoking: 4,200 from Secondhand Smoke

Sources: State Tobacco Activities Tracking and Evaluation (STATE) System, Average Annual Smoking-Attributable Mortality (SAM) – SAMMEC, California 2000-2004, https://apps.nccd.cdc.gov/sammec/reports.asp

Campaign for Tobacco Free Kids factsheet, *The Toll of Tobacco in California* http://www.tobaccofreekids.org/reports/settlements/toll.php?StateID=CA, Viewed April 20, 2009

Contra Costa 6,569 Overall

Source: Max W, Rice DP, Zhang X, Sung H-Y, Miller L. *The Cost of Smoking in Californ*ia, 1999. Sacramento, CA: California State Department of Health Services, 2002.

2. FACT: Smoking costs an estimated \$228 million annually in medical expenses in Contra Costa County alone.

Source: Max W, Rice DP, Zhang X, Sung H-Y, Miller L. The Cost of Smoking in California, 1999. Sacramento, CA: California State Department of Health Services, 2002.

3. FACT: Each cigarette smoked will take an average of 11 minutes of your life.

Source: Shaw, Mitchell and Dorling, "Time for a Smoke? One Cigarette Reduces Your Life by 11 Minutes." *British Medical Journal*, January 1, 2000, 320:53.

4. FACT: California has the second lowest smoking rate (14.3%) in the United States.

Source: Morbidity and Mortality Weekly Report, March 13, 2009, Vol. 58 No. 09, pp. 221-226.

5. FACT: Percentage of California adults who smoke:

21%
16%
16.7%
16.1%

Source: California Department of Health Services, California Adult Tobacco Survey, 2005.

6. FACT: Percentage of current adult smokers who report that they are thinking about quitting:

77% within the next 6 months	
43% within the next 30 days	

Sources: Behavioral Risk Factor Surveillance System (BRFSS) and California Adult Tobacco Survey (CATS) data is combined for 1994–2004. The data is weighted to the 1990 California population. Prepared by California Department of Health Services, Tobacco Control Section, May 2005.

http://www.cdph.ca.gov/programs/tobacco/Documents/CTCPCessation05.pdf

7. FACT: The peak years of youth smoking initiation are between the 6^h and 7th grade, or between the ages of 11 and 12 years.

Source: Campaign for Tobacco-Free Kids fact sheet, *The Path to Smoking Addiction Starts at Very Young Age*, http://tobaccofreekids.org/research/factsheets/pdf/0127.pdf, 2008.

8. FACT: 90% percentage of adult smokers start smoking at or before age 18:

Source: SAMSHA, HHS, 2001 National Household Surveys on Drug Abuse, www.samsha.gov/oas/nhsda.htm, unpublished data. See, also, HHS, Youth and Tobacco: Preventing Tobacco Use Among Young People: A Report of the Surgeon General, 1995.

9. FACT: Number of youth under 18 who become regular smokers every year

Nationally 400,000

California 36,600

Source: Campaign for Tobacco-Free Kids fact sheets, *Smoking and Kids*, and *The Toll of Tobacco in California*, http://www.tobaccofreekids.org/research/factsheets. 2008.

10. FACT: Number of youth under 18 who will die prematurely from cigarette use:

Nationally 6 million who are now alive

California 596,000 who are now alive

Source: Campaign for Tobacco-Free Kids fact sheets, Tobacco Harm to Kids and The Toll of Tobacco in California,

http://www.tobaccofreekids.com/reports/settlements/TobaccoToll.php3?StateID=CA, October 2004.

11. FACT: 34% of youth start smoking as a result of tobacco advertising

Source: Pierce, Choi, Gilpin, Farkas and Berry, "Tobacco Industry Promotion of Cigarettes and Adolescent Smoking", *JAMA*, Feb 18, 1998:279(7):511-5.

12. FACT: Rates of Illegal Sales of Tobacco Products to Minors*:

California	12.6%
	Source: California Department of Health Services, Tobacco Control Section, CA Youth Tobacco Purchase Survey, 2008.
Unincorporated	8.4%
area of Contra Costa	Source: Contra Costa County Sheriff's Office, April, 2009.
Contra Costa	22.5%
County	Source: California Department of Health Services, Food and Drug Branch, Stop

*NOTE: The California rate was determined by calculating the number of illegal tobacco sales that were made during 731 youth purchase surveys conducted throughout the state between January and December 2008. The Contra Costa County rate was determined by calculating the number of illegal tobacco sales made during a random sample of 160 youth purchase surveys conducted in incorporated and unincorporated areas of the County from January 1 through December 31, 2008. The rate of illegal sales in the unincorporated areas of the County was determined by calculating the number of illegal tobacco sales made during 169 undercover buying operations between January 1 and December 31, 2008.

Tobacco Access to Kids (STAKE) Act Compliance Data, 2008.

13. FACT: 17% of Medi-Cal eligible mothers in Contra Costa County smoke throughout their pregnancies:

Source: Medi-Cal Perinatal Outcomes Project, November 1997 – March 2001. Aggregated data from public health sites.

14. FACT: 12% or 1,114,000 of California children ages 0 – 17 are exposed to secondhand smoke at home:

Source: Campaign for Tobacco Free Kids factsheet, *The Toll of Tobacco in California* http://www.tobaccofreekids.com/reports/settlements/TobaccoToll.php3?StateID=CA, October, 2008.

15. FACT: Number of California children who suffer from the following due to secondhand smoke exposure each year:

a.	Low birthweight	1,200 – 2,200
b.	Sudden Infant Death Syndrome (SIDS)	120
c.	Middle ear infection	78,600 – 188,700
d.	New cases of asthma	960-3,120
e.	More severe asthma	200,000 – 1,000,000 children
f.	Bronchitis or pneumonia in babies under 18 mos.	750 - 15,000 hospitalizations,
		16 – 25 deaths

Source: California EPA, Health Effects of Exposure to Environmental Tobacco Smoke, Final Report, September 1997.

http://www.epa.gov/smokefree/healtheffects.html # Serious%20 Health%20 Risks%20 to%20 Children . Updated February 29, 2008.

16. FACT: Amount spent annually by the tobacco industry on advertising and promotions:

Nationally \$15.5 billion

California \$843.8 million

Source: Federal Trade Commission Cigarette Report for 2003, August 2005. Campaign for Tobacco Free Kids factsheet, *The Toll of Tobacco in California* http://www.tobaccofreekids.com/reports/settlements/TobaccoToll.php3?StateID=CA, April 2009.

17. In 2000, Philip Morris spent:

\$115 million on philanthropy

\$150 million advertising its philanthropy

Source: National Conference on Tobacco or Health, 2002, presentation entitled "Sleeping with the Enemy: The Ethics for Priority Populations accepting Funding from the Tobacco Industry."

This publication of the Contra Costa County Tobacco Prevention Coalition was made possible by funds received from the Tobacco Health Protection Act of 1988-Proposition 99, under Agreement Number 07-10, with the California Department of Health Services, Tobacco Control Section.