



Contra Costa Health Plan

COMMUNITY PROVIDER NETWORK MEETING

Doctors Medical Center - San Pablo

Tuesday, January 17, 2012 7:30 AM to 9:00 AM

Administration Conference Room (ACR 1st Floor)

Continental Breakfast will be served

- | | |
|---|---------------------------|
| I. Call to order | J. Tysell, MD |
| II. Approval of Minutes | J. Tysell, MD |
| III. Medical Director's Report | J. Tysell, MD |
| IV. California Children's Services | Barbara Sheehy, MS |
| V. Provider Concerns | J. Tysell, MD |
| VI. Adjourn | J. Tysell, MD |

Next Meeting – April 17, 2012

Administration Conference Room (ACR) is located on the 1st floor near the main entrance. Doctors San Pablo staff has asked that we park in guest and patient parking only. All other areas are permit parking only. *Thank you.*

Please RSVP: (925) 313-9500

CONTRA COSTA HEALTH PLAN
Community Provider Network – West County
Meeting Minutes – January 17, 2012

Attending:

J. Tysell, MD; Mary Berkery, RN; N. Banks, MD; O. Eaglin, PA; R. Harrison, RN, NP; K. Kaminski, PA; A. Lopresti, MD; P. Mack, MD; J. Mahony, MD; E. Ruiz, NP; P. Washington, FNP; K. Ceci, MD.

Guests: Barbara Sheehy, MS California Children’s Services

Discussion	Action	Accountable
I. Meeting called to order @ 7:45 am.		J. Tysell, MD
II. Agenda approved with no change.		J. Tysell, MD
III. Approval of Minutes: Minutes approved as read.		J. Tysell, MD
IV. Medical Director’s Report:		J. Tysell, MD
V. HEDIS: <ul style="list-style-type: none"> • CPN patients and patients who deliver at community hospitals are less likely to get Post Partum visits • CCHP is exploring whether a collaboration with Public Health Department can help facilitate postpartum visits in the desired 3 to 8 week timeframe after delivery. • Though many prenatal patients in the CCRMC network begin care with labs, etc., they must see a provider in the first trimester to meet HEDIS standards • Brookside staff indicated a willingness to review postpartum protocol. Dual Eligible: <ul style="list-style-type: none"> • Could be next group mandated into managed care. • Medi-Cal Health Plans would be responsible for benefits not covered by Medicare, e.g. some DME, some medications. County Health Services Staffing: <ul style="list-style-type: none"> • Several groups of employees will experience cuts in pay. • Several PCPs have moved to Kaiser • CCRMC has developed an incentive program to encourage PCPs to stay. EPIC (Electronic Health Record): <ul style="list-style-type: none"> • Expected to go live July, 2012. • Will allow CPN providers to see member health info from CCRMC system. QIPs (Quality Improvement Projects): <ul style="list-style-type: none"> • Two being studied by CCHP: Pediatric Obesity and new statewide collaboration to reduce hospital readmissions ADHC: <ul style="list-style-type: none"> • Benefit will be reduced but not eliminated • More stringent criteria • Many are dual eligible SPDs: <ul style="list-style-type: none"> • Over 6000 new SPD members to date • Dr. Cammisa now employed part time by CCHP to assist with QM and UM activities related to SPDs, e.g. Hep C protocols 		J. Tysell, MD
VI. CCS (California Children’s Services): <ul style="list-style-type: none"> • Speaker Barbara Sheehy, MS, Administrator of program • Long term medical program for kids with serious and chronic medical problems, since 1920’s 		B. Sheehy, MS

	<ul style="list-style-type: none"> • CCS-eligible conditions are almost any chronic serious condition, and include cancers, heart problems, hearing aids, and wheelchairs. • PCPs can refer directly or through CCHP. Children will be screened by CCS to see if they qualify. 		
VII.	Provider Concerns: <ul style="list-style-type: none"> • Discussion on Preferred Drug List changes and opiate medication alternatives. 		J. Tysell, MD
VIII.	Adjourn: Meeting adjourned @ 9:00 am.		J. Tysell, MD

Next meeting – April 17, 2012

CONTRA COSTA HEALTH PLAN
Community Provider Network – West County
Meeting Minutes – October 18, 2011

Attending:

J. Tysell, MD; Beverly Jacobs, FNP; Mary Berkery, RN; Norman Banks, MD; Regina Harrison, NP; Kristof Kaminski, PA; Porshia Mack, MD; John Mahony, MD; Olga Eaglin, PA; Esther Ruiz, NP; Andrew Wallach, MD; Pamela Washington, FNP; Thomas Smith, MD; Elouise Joseph, MD

Guests: Peggy Hackett, RN

Discussion	Action	Accountable
I. Meeting called to order @ 7:38 am.		J. Tysell, MD
II. Agenda approved with no change.		J. Tysell, MD
III. Approval of Minutes: Minutes approved as read.		J. Tysell, MD
IV. Medical Director's Report:		J. Tysell, MD
V. HEDIS: <ul style="list-style-type: none"> • Reviewed results of last report. • Next year will not include female mammograms and will focus more on adolescent health indicators. Tdap: <ul style="list-style-type: none"> • Still available thru Advice Nurse if indicated will probably be referred to Night Owl if necessary. • Schools have attained about 95% compliance especially in Richmond School District in celebration with bus health vans from Contra Costa County Public Health Clinic services. Dental Varnish: <ul style="list-style-type: none"> • Reminder to apply varnish on children <6 yo 3x/1 yr with exam and immunization – it is a billable visit. Billing code is D 1203. SPD Update: <ul style="list-style-type: none"> • Approximately 5000 enrollees since June – approximately 850 a month. • Approximately 20 have requested to stay with non-contracted previous provider, some of these providers have become contracted providers with CCHP or have agreed to see patients for 1 year @ CCHP rates. Post Partum visits: <ul style="list-style-type: none"> • Reminded providers to have newly delivered mothers return to MD for Post Partum visit and exam between 4 and 8 weeks. This is a HEDIS indicator. Fraud, Waste & Abuse: <ul style="list-style-type: none"> • Orientation to CCHP Policies of these topics. • History discussed. • Reporting process and consequences of violation of policies discussed. • Discussed possible staff reporting and consequences to violators. • Example test taken by all attendees. • Copies of test signed and returned – will be filed in Credential folder of each provider to signify orientation completed. • Physicians responsible for orienting/training office staff (materials included in provider's bulletin packet). 		J. Tysell, MD B. Jacobs, FNP M. Berkery, RN B. Jacobs, FNP M. Berkery, RN B. Jacobs, FNP

VI.	Provider Concerns: <ul style="list-style-type: none">• Discussed issues were focused on electronic regards and access to Pharmacy Program for specific medications.		J. Tysell, MD
VII.	Adjourn: Meeting adjourned @ 9:05 am.		J. Tysell, MD

Next meeting – January 17, 2012



INFLUENZA HEALTH ALERT

JANUARY 9, 2012

STATEWIDE INFLUENZA ACTIVITY REMAINS SPORADIC, WITH TWO CASES CONFIRMED IN CONTRA COSTA COUNTY. FLU ILLNESS OFTEN PEAKS DURING THE MONTHS OF FEBRUARY-MARCH. VACCINATION AND GOOD INFECTION CONTROL REMAIN THE BEST PREVENTION STRATEGIES. THIS YEAR'S FLU VACCINE CONTAINS ANTIGENS FROM INFLUENZA A H1N1 (SWINE), A H3N2 AND INFLUENZA B AND IS RECOMMENDED FOR ALL PERSONS 6 MONTHS AND OLDER.

CIRCULATION OF A NOVEL SWINE-ORIGIN TRIPLE REASSORTANT H3N2 INFLUENZA (S-OTRH3N2) VIRUS INFECTING HUMANS HAS BEEN REPORTED IN SEVERAL STATES. NONE OF THESE CASES HAS OCCURRED IN CALIFORNIA. FOR UPDATES RELATED TO THIS NOVEL INFLUENZA VIRUS, VISIT <http://www.cdc.gov/flu/swineflu/influenza-variant-viruses-h3n2v.htm>

ACTIONS REQUESTED OF CLINICIANS

- COLLECT AND SUBMIT SPECIMENS FROM CHILDREN \leq 18 YEARS WITH INFLUENZA-LIKE ILLNESS SYMPTOMS. NOTE: ALMOST ALL OF THE S-OTRH3N2 INFLUENZA VIRUSES HAVE BEEN IN PEDIATRIC PATIENTS.
- REPORT TO CONTRA COSTA COMMUNICABLE DISEASE PROGRAM (925-313-6740) **FATAL** CASES OF LABORATORY CONFIRMED SEASONAL INFLUENZA IN PERSONS 0-64 YEARS OF AGE. SAVE SPECIMENS FROM HOSPITALIZED CRITICALLY ILL AND FATAL CASES, SUBMIT TO CONTRA COSTA PUBLIC HEALTH LAB (925-370-5775) FOR FURTHER TESTING.
- REPORT ONE OR MORE LAB-CONFIRMED CASES OF INFLUENZA **OR** OUTBREAKS OF UNDIAGNOSED ILI IN RESIDENTS OF LARGE GROUP OR INSTITUTIONAL SETTINGS (E.G. LONG-TERM CARE, ASSISTED LIVING FACILITIES OR COLLEGE DORMITORIES)
- CONTINUE INFLUENZA VACCINATION EFFORTS FOR ALL PERSONS 6 MONTHS OF AGE AND OLDER. CHILDREN UNDER 9 YEARS OF AGE WHO DID NOT RECEIVE ANY DOSES OF 2010-2011 INFLUENZA SEASON VACCINE SHOULD RECEIVE TWO DOSES OF 2011-2012 SEASON VACCINE, ONE MONTH APART.

QUESTIONS? CALL CONTRA COSTA PUBLIC HEALTH COMMUNICABLE DISEASE AT 925-313-6740. INFLUENZA INFORMATION MAY BE FOUND AT CCEALTH.ORG

Recommended Schedule of Childhood Immunizations

Birth-----	1 st Hep B
2 months old-----	1 st DTaP, Polio, Hib, PnuCon, Rotavirus, 2 nd Hep B
4 months old-----	2 nd DTaP, Polio, Hib, PnuCon, Rotavirus
6 months old-----	3 rd DTaP, Hib, HepB, PnuCon, Rotavirus
6-18 months old-----	3 rd Polio
6 months - 18 years old-----	Flu (during flu season)
12-15 months old-----	1 st MMR, Varicella (chickenpox) 4 th Hib, DTaP, PnuCon
1-2 years old-----	Hep A (2 doses 6-12 months apart)
4 - 6 years old (school entry)-----	5 th DTaP, 4 th Polio, 2 nd MMR, Varicella
11-12 years old-----	Tdap booster, Meningococcal, HPV (3 dose series)

Polio-----	Inactivated Polio Vaccine (IPV)
DTaP-----	Diphtheria, Tetanus, Pertussis vaccine
Hib-----	Hemophilus Influenza Type b Conjugate Vaccine
MMR-----	Measles, Mumps, Rubella vaccine
HepB-----	Hepatitis B Vaccine (Triming of HepB vaccine may vary)
Hep A-----	Hepatitis A vaccine
PnuCon-----	Pediatric Pneumococcal conjugate Vaccine
Rotavirus-----	Rotavirus vaccine
Tdap-----	Tetanus, Diphtheria, Pertussis (whooping cough) vaccine
Meningococcal-----	Meningococcal conjugate vaccine
HPV-----	Human Papillomavirus vaccine

Contra Costa Health Services recommends that immunizations be obtained from one's private doctor whenever possible (schedules in private practice may differ slightly).

For more information call your doctor or Contra Costa Immunization Program at: **925-313-6767**

For vaccines recommended for adolescents and adults, visit www.cdc.gov/vaccines



2010 - 2011

CONTRA COSTA PUBLIC HEALTH

Immunization Clinic Calendar

Clients are seen on a first come, first served basis. Please come early, as we stop accepting clients when the clinics are full. Our busiest time of year is during August and September. Vaccines are not given during pregnancy at any of the clinic sites (except flu and whooping cough vaccines). Clinics are closed on holidays. Cash or check only - no credit or ATM cards accepted.

1-800-246-2494

No appointment is needed at any of the clinic sites.

Richmond Public Health

39th Street & Bissell Avenue, 1st Floor, Richmond
Mondays, 1:00 - 4:30 p.m.

Brentwood Public Health

171 Sand Creek Road, Suite A, Brentwood
Tuesdays, 1:00 - 4:30 p.m.

Pittsburg Public Health

2311 Lovridge Road, Pittsburg
Wednesdays, 1:00 - 4:30 p.m.

Concord Public Health

2355 Stanwell Circle, Concord
Fridays, 1:00 - 4:30 p.m.

Fee Schedule effective 7/1/2010

(WAIVABLE FEES) 18 YEARS & YOUNGER
\$10.00 per person or \$30.00 per family (3 or more children)

DTap or DT	Hib	
Td	Meningococcal	
Tdap	MMR	
Polio (Injectable)	Pneumococcal (Pediatric)	
Hepatitis A	Rotavirus	
Hepatitis B	Varicella-Chickenpox	
HPV	Flu	

(WAIVABLE FEES) AGES 19 & OLDER

Td	Polio (Injectable)	\$15.00
Tdap	Flu (Adult)	\$15.00

(NON-WAIVABLE FEES) AGES 19 & OLDER

Hepatitis A	MMR	\$70.00 (each dose)	\$80.00
Hepatitis B	Meningococcal	\$65.00 (each dose)	\$140.00
HPV (ages 19-26 years)	Pneumococcal (Adult)	\$140.00 (each dose)	\$46.00
Varicella	Shingles (ages 60 & up)	\$120.00 (each dose)	\$175.00

For travel immunizations call: 925-313-6488
or visit Contra Costa Health Services website at www.cchealth.org



Consent for minors:

- Children under 14 years of age must be accompanied by a parent, legal guardian or authorized relative or caretaker.
- Unaccompanied children 14-17 years must have an informed consent signed by the parent, legal guardian or authorized relative or caretaker. The parent, guardian, or authorized relative or caretaker needs to indicate their relationship to the child and give a phone number where they can be reached.

California law requires, that at the time of enrollment in California schools, children must have or must obtain the following immunizations (with some exceptions based on age, religious belief, or medical reasons):

IMMUNIZATIONS REQUIRED FOR SCHOOL ENTRY, K-12

POLIO	4 doses	But... 3 doses meet requirement if at least one dose was given on or after the 4 th birthday.
DIPHTHERIA, TETANUS, AND PERTUSSIS Age 6 years and under (Pertussis is required) DTap or DTP, or any combination of DTap/DTP with DT or Td (Tetanus and Diphtheria)	5 doses but...	4 doses meet requirements for ages 4-6 If at least one dose was given on or after the 4 th birthday.
Age 7 years and older (Pertussis is not required) Td, DT, DTap, DTP, Tdap or any combination of these	4 doses but...	3 doses meet requirement for ages 7-17 years. If at least one dose was given on or after the 2 nd birthday. If last dose was given before the 2 nd birthday, one more (Td or Tdap) dose is required.
7 th through 12 th grade	1 dose	One dose of Tdap on or after 10 th birthday.
MEASLES, MUMPS, RUBELLA (MMR) Given together as one injection	1 or 2 doses (2)	Must be given on or after the 1st birthday.
HEPATITIS B	3 doses	Required for all children entering kindergarten on or after 8/97, and all children entering 7 th grade on or after 7/1/99.
VARICELLA	1 dose	Required for all children entering kindergarten, 18 months of age and older or as an alternative, provider documentation of chickenpox disease.

(1) Mumps is recommended but not required for children over age 7.
 (2) A second dose of MMR is legally required at kindergarten entry and 7th grade entry.

IMMUNIZATIONS REQUIRED FOR DAY CARE CENTERS, PRESCHOOLS, HEADSTART PROGRAMS, FAMILY DAY CARE HOMES, AND CALWORKS ELIGIBILITY

Age of Child	Number of doses required
Under 2 months.....	None required
2-3 months.....	1 Polio, 1 DTap (or DTP), 1 Hib and 1 Hep B
4-5 months.....	2 Polio, 2 DTap (or DTP), 2 Hib and 2 Hep B
6-14 months.....	2 Polio, 3 DTap (or DTP), 2 Hib and 2 Hep B
15-17 months.....	3 Polio, 3 DTap (or DTP) and 2 Hep B 1 Hib at any age 1 MMR is needed on or after the 1st birthday
18 months through 4 years.....	3 Polio, 4 DTap (or DTP), 3 Hep B, 1 Hib 1 MMR given on or after the 1st birthday 1 Varicella required for all children 18 months of age and older or provider documentation of chickenpox disease

DOCUMENTATION: All pupils entering schools, day care, preschool, headstarts or family day care homes must present a written immunization record from a health care provider. Transfer students may present the California School Immunization Record (the blue card) from their prior school. The record must show the month and year for each vaccine received, and month, day, and year for MMR and Hib if received in the month of the first birthday.

Plan Recomendado de Vacunas Durante la Infancia

Al nacer -----	Primera dosis Hep B
2 meses de edad -----	Primera dosis contra DTaP, Polio, Hib, PnuCon, Rotavirus Segunda dosis contra Hep B
4 meses de edad -----	Segunda dosis contra DTaP, Polio, Hib, PnuCon, Rotavirus
6 meses de edad -----	Tercera dosis contra DTaP, Hep B, Hib, PnuCon, Rotavirus
6-18 meses de edad -----	Tercera dosis contra Polio
6 meses - 18 años de edad -----	Gripe (durante la temporada de la gripe)
12-15 meses de edad -----	Primera dosis MMR, Varicela Cuarta dosis Hib, DTaP, PnuCon
1-2 años de edad -----	Hep A (dos dosis 6 a 12 meses aparte)
4 - 6 años de edad ----- (ingreso a la escuela)	Quinta dosis contra DTaP, cuarta dosis contra Polio, Segunda dosis MMR, Varicela
11-12 años de edad -----	Tdap refuerzo, Meningococcal, HPV (3 series de dosis)

Polio	-	Vacuna de Polio Inactivada (IPV)
DTaP	-	Difteria, Tétanos, Tos Ferina
Hib	-	Hemophilus Influenza Tipo b (Hib) vacuna conjugada
MMR	-	Sarampión, paperas y sarampión alemán
Hep B	-	Hepatitis B vacuna-(El tiempo para recibir esta vacuna puede variar)
Hep A	-	Hepatitis A vacuna
PnuCon	-	Pneumococcal para niños
Meningococcal	-	Meningocócica vacuna conjugada
HPV	-	Vacuna de virus del papiloma humano
Tdap	-	Tétanos, Difteria, Tos Ferina

Servicios de salud de costa recomiendan obtener las vacunas con el médico personal de la familia cuando sea posible. (El Plan Recomendado de Vacunas puede variar ligeramente en consultorios privados).

Para mayor información llame a su doctor o al
Departamento de Salud Pública de Costa Costa: 925-313-6767

Para información acerca de las vacunas recomendadas para adolescentes y
Adultos, visite www.cdc.gov/vaccines



2010 - 2011

Departamento de Salud Pública de Costa Costa

Calendario de las Clínicas de Inmunizaciones

Las personas son atendidas por orden de llegada. Por favor llegue lo más temprano posible porque no se aceptan clientes cuando la clínica está llena. La época del año cuando estamos más ocupados es de Agosto a Septiembre. Las vacunas no se dan durante el embarazo en ninguna clínica (excepto las vacunas de la gripe y de la tos ferina). Las clínicas de vacunas están cerradas durante los días festivos. Solo dinero efectivo o cheques - no se acepta crédito o tarjetas de ATM.

1-800-246-2494

No necesita cita en estas clínicas

Richmond Departamento de Salud Pública

Esquina de la 39 Calle y Avenida Bissell, 1 Piso, Richmond
Todos los Lunes, 1:00 - 4:30 pm

Brentwood Departamento de Salud Pública

171 Sand Creek Rd., Suite A, Brentwood
Todos los Martes, 1:00-4:30 p.m.

Pittsburg Departamento de Salud Pública

2311 Loveridge Rd., Pittsburg
Todos los Miércoles, 1:00 - 4:30 p.m.

Concord Departamento de Salud Pública

2355 Stanwell Circle, Concord
Todos los Viernes, 1:00 - 4:30 p.m.



Costo de Vacunas (efectivo 3/1/2010)

18 Años O Menores

El costo es de \$10 por persona o \$30 por familia (3 niños o mas) (a nadie se le negarán estas vacunas si no puede pagar)

DTAP or DT	Hib	
Td	Meningocócica	
Tdap	MMR	
Polio-(inyectable)	Pneumococcal (para niños)	
Hepatitis A	Rotavirus	
Hepatitis B	Varicela Chickenpox	
HPV	Gripe	
(OPTAR PAGO) 19 AÑOS Y MAYORES		
Td	Polio (inyectable)	\$15.00
Tdap	Flu/Gripe (para adulto)	\$15.00
(VACUNAS QUE HAY QUE PAGAR) 19 AÑOS Y MAYORES		
Hepatitis A	MMR	\$ 80.00
Hepatitis B	Meningocócica	\$140.00
HPV(edades 19-26 años)-\$140.00 (cada dosis)	Pneumococcal (para adulto)	\$ 46.00
Varicela -----\$120.00 (cada dosis)	Herpes Zoster-(edades 60 años y mayores)	\$175.00

Para vacunas de viajeros llame: 925-313-6488

O visite nuestro sitio en el internet www.cchealth.org

Consentimiento para menores de edad:

- Todos los menores de 14 años de edad deben venir acompañados por uno de los padres, apoderado legal o la persona autorizada por los padres.
 - Niños de 14 a 17 años de edad que no estén acompañados por un adulto, deben de tener un consentimiento firmado por los padres, apoderado legal o persona autorizada por los padres
- La persona que firme el consentimiento debe indicar en el mismo su parentesco con niño y el número de teléfono a donde se les pueda localizar



La ley de California requiere, que cuando los niños se registren en las escuelas de California, tienen que tener, o deben obtener las siguientes vacunas (con algunas excepciones dependiendo de la edad, creencias religiosas o por razones médicas):

VACUNAS REQUERIDAS PARA INGRESAR A LA ESCUELA

POLO	EDAD	REQUISITOS
DEBERIA - TETANOS - TOS FERINA (DTp)	4 dosis	3 dosis cumplen con el requisito si por lo menos recibió una dosis después del cuarto cumpleaños.
Menores de 6 años (Requieren la vacuna contra la Tos Ferina) DTp/DTaP o cualquier combinación de DTp/DTaP con DT ó Td (Tétanos y Difteria)	5 dosis pero...	Cuatro dosis cumplen con el requisito si la última dosis se administró después de los 4 años de edad.
Mayores de 7 años (No requieren la vacuna contra la Tos Ferina) Td, DT, ó DTp/DtaP, Tdap ó cualquiera combinación de estas.	4 dosis pero...	3 dosis llenan los requisitos para las edades de 7 a 17 años si por lo menos una dosis fue dada el día del segundo cumpleaños o después. Si la última dosis se dio antes del segundo cumpleaños se requiere una dosis más de Tdap.
Grados 7 al 12 SARAMPION, SARAMPION ALEMÁN, PAPERAS - MMR Son administradas juntas en una sola inyección.	1 dosis 1 ó 2 dosis (2)	Una dosis de 10 años de edad y mayores. Debe darse en el primer año o después del primer año de edad.
HEPATITIS B	3 dosis	Requerida para entrar al kínder durante el mes de Agosto de 1997 o después y para todos los niños que entren al 7o. grado el 1 de Julio de 1999 o después.
VARICELA	1 dosis	Requerida para todos los niños que entren a kínder, niños de 18 meses y mayores. Como alternativa, se acepta documentación del proveedor médico indicando que el niño tuvo varicela.

- (1) Para niños mayores de 7 años se recomienda la vacuna contra las Paperas, pero no es obligatorio.
- (2) Una segunda dosis de la vacuna MMR (Sarampión, sarampión alemán, paperas) es un requisito legal para ingresar al kínder y para ingresar al 7 grado.

Edad del niño	VACUNAS REQUERIDAS PARA NIÑOS QUE ATENDEN CENTROS DE CIUDADO DURANTE EL DÍA, JARDINES INFANTILES, PROGRAMAS DE HEADSTART Y ELGARDENS PARA CALWORKS	Vacunas y número de dosis requeridas
Menos de 2 meses	Ninguna	
2 a 3 meses	1 Polio, 1 DTaP (o DTP), 1 Hib, y 1 Hep B	
4 a 5 meses	2 Polio, 2 DTaP (o DTP), 2 Hib, y 2 Hep B	
6 a 14 meses	2 Polio, 3 DTaP (o DTP) y 2 Hib y 2 Hep B	
15 a 17 meses	3 Polio, 3 DTaP (o DTP) y 2 Hep B 1 Hib Una de MMR es requerida al año de edad o después	
18 meses a 4 años	3 Polio, 4 DTaP (o DTP), 3 Hep B y 1 Hib 1 MMR es requerida al año de edad o después. La vacuna de varicela es requisito en niños mayores de 18 meses. Como alternativa se acepta documentación de un proveedor de salud indicando que el niño tuvo varicela.	

DOCUMENTACION: Todos los estudiantes que entran a una escuela guardería o programa de aprendizaje en California deben presentar una prueba por escrito del doctor o clínica de inmunizaciones, indicando fechas de vacunas recibidas. Los estudiantes que se están cambiando de escuela pueden presentar la documentación de la escuela anterior. Esta documentación debe indicar el mes y el año en que se recibió cada vacuna, si la vacuna MMR y Hib fue recibida en el mes del primer cumpleaños, debe indicarse el mes, día y año.



Immunization Update

Medi-Cal Managed Care Medical
Directors Meeting
January 12, 2012

California Department of Public Health, Immunization Branch



Overview

- ACIP Recommendations: Hepatitis B vaccine for adults with diabetes
- ACIP Recommendations: Quadrivalent HPV vaccine for males
- Update on ACIP MCV4 Recommendations
- Update on ACIP Tdap Recommendations
- PCV13 Reminder
- Adolescent Immunization Data
- Preteen Vaccine Week

California Department of Public Health, Immunization Branch



Adults with Diabetes and Hepatitis B

California Department of Public Health, Immunization Branch



Background

- Since 1996, 25 of 29 outbreaks of hepatitis B infection in long-term care facilities were reported to CDC involving adults with diabetes receiving assisted blood glucose monitoring
- Infection control initiatives alone have not been successful in halting outbreaks

California Department of Public Health, Immunization Branch



Hepatitis B Vaccine Safety and Efficacy

- Hepatitis B vaccination appears safe at any age but is less efficacious and less-cost effective among older adults.

California Department of Public Health, Immunization Branch



ACIP Recommendations: Hepatitis B Vaccine and Adults with Diabetes

- Hepatitis B vaccination should be administered to unvaccinated adults with diabetes who are aged 19 through 59 years of age
 - Complete series as soon as feasible after diagnosis.
- Hepatitis B vaccination may be administered to unvaccinated adults with diabetes who are ≥ 60 years of age at the discretion of the treating clinician.

MMWR. December 23, 2011; 60 (50):1709-1711.
<http://www.cdc.gov/mmwr/pdf/wk/mm6050.pdf>

California Department of Public Health, Immunization Branch



HPV Vaccine

California Department of Public Health, Immunization Branch



Background of HPV Vaccine Licensure

- **Quadrivalent HPV vaccine is directed against HPV types 6, 11, 16, and 18**
 - Licensed for females for the prevention of:
 - Cervical cancer and precancers, and genital warts (2006)
 - Vulvar and vaginal cancers and precancers (2008)
 - Licensed for males for prevention of:
 - Genital warts (2009)
 - Licensed for males and females for prevention of anal cancers and precancers (2010)
- **Bivalent HPV vaccine is directed against the oncogenic HPV types 16 and 18**
 - Licensed for females for prevention of cervical cancers and precancers (2009)

California Department of Public Health, Immunization Branch



Updated ACIP Recommendations: Quadrivalent HPV Vaccine (HPV4) for Males

- **ACIP recommends routine vaccination of males aged 11 or 12 years with a 3 dose series of HPV4.**
 - The vaccination series can be started beginning at age 9 years.

MMWR. December 23, 2011; 60 (50):1705-1708.
<http://www.cdc.gov/mmwr/pdf/wk/mm6050.pdf>

California Department of Public Health, Immunization Branch



Updated ACIP Recommendations: Quadrivalent HPV Vaccine for Males

- **HPV4 vaccination is recommended for males aged 13 through 21 years who have not been vaccinated previously or who have not completed the 3-dose series.**
- **HPV4 vaccination is recommended for men who have sex with men (MSM) and immunocompromised males who are aged 22 through 26 years who haven't been vaccinated previously or who have not completed the 3-dose series.**
- **Other males aged 22 through 26 years may also be vaccinated.**

California Department of Public Health, Immunization Branch



VFC Eligibility: HPV Vaccine

- For VFC-eligible patients:

Gender	Age	Bivalent HPV Vaccine	Quadrivalent HPV Vaccine
Females	9 through 18 years	Eligible	Eligible
Males	9 through 18 years	Not Eligible	Eligible

California Department of Public Health, Immunization Branch



Meningococcal Conjugate Vaccine (MCV4)

California Department of Public Health, Immunization Branch



ACIP Recommendations: Meningococcal Conjugate Vaccine Booster

- Routine immunization age at 11 – 12 years
- Booster dose recommended at age 16 years for those who received a dose at age 11 through 12 years
 - If vaccinated at age 13 through 15 years, they should receive a one-time booster at age 16 through 18 years

Note: Recommended for high risk persons 9 months through 55 years.

<http://www.cdc.gov/mmwr/pdf/wk/mm6003.pdf>
<http://www.cdc.gov/mmwr/pdf/wk/mm6040.pdf>

California Department of Public Health, Immunization Branch



ACIP Updated Tdap Recommendations

California Department of Public Health, Immunization Branch



ACIP Recommendations: Tdap

- **Pregnant adolescents who have not previously received Tdap should receive a dose of Tdap, preferably after 20 weeks gestation.**
 - If not administered during pregnancy, Tdap can be administered immediately postpartum.
- **Tdap may be given at any time after a prior dose of Td to provide pertussis protection. There is no minimum interval.**

<http://www.cdc.gov/mmwr/pdf/wk/mm6041.pdf>
<http://www.cdc.gov/mmwr/pdf/wk/mm6001.pdf>

California Department of Public Health, Immunization Branch



ACIP Recommendations: Tdap

- **Persons 65 years and older who have or who anticipated having close contact with an infant <12 months and haven't yet received Tdap, should receive a dose of Tdap regardless of interval since prior Td**
 - At this time, either Tdap product may be used
- **Children age 7 through 10 years who are not fully vaccinated against pertussis and who don't have a contraindication, should receive Tdap for pertussis protection.**

<http://www.cdc.gov/mmwr/pdf/wk/mm6041.pdf>
<http://www.cdc.gov/mmwr/pdf/wk/mm6001.pdf>

California Department of Public Health, Immunization Branch



PCV13 Supplemental Dose— Don't Forget!

- A supplemental dose of PCV13 is recommended for all children through the age of 59 months who completed a PCV7 series
- For high risk children, a supplemental dose of PCV13 is recommended through age 71 months and may be given through age 18 years for those high-risk children that completed the PCV7 series.
- Providers should no longer have PCV7 in their refrigerators

California Department of Public Health, Immunization Branch



Adolescent Immunizations and Pertussis Booster Requirement

California Department of Public Health, Immunization Branch



Pertussis Booster Requirement

- Thanks for sharing messages with your providers and beneficiaries on the pertussis booster requirement for 7th -12th grades
- Starting 2012-2013 and annually thereafter, the requirement for a pertussis booster (Tdap) for all students before admission to 7th grade will continue.
 - Remind parents and providers to immunize their 6th graders now!
 - Give Tdap, HPV vaccine (males and females), meningococcal conjugate vaccine, influenza vaccine.
 - Catch-up on other recommended immunizations!
 - E.g., 2 doses of varicella
 - www.shotsforschool.org

California Department of Public Health, Immunization Branch



National Immunization Survey Teen, 13-17 Years, California – 2009 and 2010

Vaccine	Rate 2009	Rate 2010
1 Tdap	53.1% (46.7-59.5)	71.2% (65.1-76.5)
1 MCV4	58.4% (52.0-64.6)	66.7% (60.5-72.3)
1 HPV	49.2% (39.9-58.6)	56.1% (46.9-64.9)
3 HPV	21.8% (15.8-29.4)	32.0% (24.5-40.6)
2 MMR	87.2% (82.6-90.8)	87.9% (82.2-92.0)
3 Hep B	89.6% (85.5-92.7)	89.0% (83.5-92.8)
VAR disease	40.0% (34.1-46.2)	40.1% (33.9-46.6)
1 VAR*	88.0% (81.6-92.4)	90.8% (84.1-94.8)
2 VAR*	56.9% (48.2-65.2)	57.3% (48.7-65.4)
Disease or 2 VAR	74.1% (68.1-79.3)	74.4% (68.3-79.6)
Influenza**	-	54.0% (47.9-60.1)

*If no disease

**6 mos –17 years
Interim results
thru Feb 2011
(2010-2011)

<http://www.cdc.gov/vaccines/stats-surv/default.htm>

California Department of Public Health, Immunization Branch



National Immunization Survey Teen, Recommended Adolescent Immunization by Age (13-17 Years) -- U.S.-- 2010

	13 years	14 years	15 years	16 years	17 years
Tdap	73.7% (71.2-76.2)	77.2% (74.8-79.3)	72.0% (69.5-74.3)	65.4% (62.6-68.1)	54.6% (51.7-57.4)
MCV4	63.8% (61.1-66.5)	66.6% (64.0-69.1)	64.0% (61.4-66.5)	61.8% (58.9-64.5)	57.1% (54.2-60.0)
1 HPV*	38.9% (34.9-43.1)	48.5% (44.5-52.6)	51.1% (47.0-55.3)	51.7% (47.8-55.7)	53.1% (49.1-57.1)
3 HPV*	23.2% (20.1-26.6)	30.5% (26.9-34.3)	31.9% (28.3-35.6)	36.9% (33.2-40.8)	37.5% (33.7-41.5)
Completed HPV series*§	64.1% (55.9-71.5)	68.2% (61.7-74.0)	65.6% (59.4-71.3)	74.3% (69.4-78.7)	74.6% (68.8-79.6)

*Females only

§For those who had at least 24 weeks between first dose and interview

California Department of Public Health, Immunization Branch



Preteen Vaccine Week February 12-18, 2012




California Department of Public Health, Immunization Branch



CDPH Activities for Preteen Vaccine Week

- **2012 Preteen Kit** is now available on CDPH website
- **PVW Monthly Support Calls**
- **Partners:** CIC, CDE, California Adolescent Health Collaborative, the California School Health Centers Association, CA PTA, and the California School Nurses Organization
- Contact Rebeca Boyte if questions:
Rebeca.boyte@cdph.ca.gov



California Department of Public Health, Immunization Branch



Recommended Immunizations and Preventive Health Care

- **Preteen Health Visit**
 - Visit early during 6th grade school year
 - Avoid a back-to-school rush during summertime
 - Can provide early documentation to schools
 - All recommended immunizations—Tdap, MCV4, HPV, influenza
 - Catch-up immunizations—2 varicella, 3 hep B, 2 MMR, etc.
 - Recommended preventive care

California Department of Public Health, Immunization Branch



Thank you!

California Department of Public Health, Immunization Branch





Our website can be accessed at: cchealth.org

Go to **Health Plan** on the left side column.

When you get to Health Plan, go to **For Providers** on the left column.

The formulary is on the left side column under **For Providers**, called **Preferred Drug List**.

The Specialist search engine is called **Provider Directory**.

Our entire **Provider Manual** can be found at this site, as well as **Provider Bulletins**, **Clinical Guidelines**, and information about our **Community Provider Network Meetings**.