

CCC Drug Medi-Cal Organized Delivery System (DMC-ODS)
ICD-10/DSM-5
Effective 07/23/2021

SEVERITY LEVELS		SPECIFIERS
<ul style="list-style-type: none"> Mild = Presence of 2-3 DSM-5 criteria symptoms Moderate = Presence of 4-5 DSM-5 criteria symptoms Severe = Presence of 6 or more DSM-5 criteria symptoms 		<ul style="list-style-type: none"> Early Remission = 3 months to 1 year with no presence of DSM-5 criteria symptoms Sustained Remission = 1 year of more with no presence of DSM-5 criteria symptoms In a Controlled Environment = If individual is in an environment where access to substances are restricted
<p align="center">All ICD-10 codes in blue are new as of October 2020 and the accompanying descriptions follow the ICD-10 descriptive language. For criteria to support the diagnosis, please utilize withdrawal criteria related to alcohol or to the substance.</p>		
ICD-10: Required for Share Care Billing	DSM-5	Diagnosis Description
Alcohol		
F10.10	305.00	Alcohol Use Disorder, Mild
F10.11	305.00	Alcohol Use Disorder, Mild, in early or sustained remission
F10.20	303.90	Alcohol Use Disorder, Moderate
F10.21	303.90	Alcohol Use Disorder, Moderate, In early or sustained remission
F10.20	303.90	Alcohol Use Disorder, Severe
F10.21	303.90	Alcohol Use Disorder Severe, In early or sustained remission
F10.129	303.00	Alcohol Intoxication with Use Disorder, Mild
F10.229	303.00	Alcohol Intoxication with Use Disorder, Moderate or Severe
F10.929	303.00	Alcohol Intoxication without Use Disorder
F10.239	291.81	Alcohol Withdrawal without Perceptual Disturbances
<p align="center">The ICD-10 codes in blue are new as of October 2020 and the accompanying descriptions utilize ICD-10 specific language. For criteria to support the diagnosis, please utilize specific Alcohol withdrawal criteria.</p>		
F10.13	291.81	Alcohol Abuse, with withdrawal
F10.130	291.81	Alcohol Abuse w/withdrawal, uncomplicated
F10.132	291.81	Alcohol Abuse w/withdrawal with perceptual disturbance
Amphetamine		
F15.10	305.70	Amphetamine-type Substance Use Disorder, Mild
F15.20	304.40	Amphetamine-type Substance Use Disorder, Moderate
F15.21	304.40	Amphetamine-type Substance Use Disorder, Moderate, In early or sustained remission
F15.20	304.40	Amphetamine-type Substance Use Disorder, Severe
F15.21	304.40	Amphetamine-type Substance Use Disorder, Moderate, In early or sustained remission
F15.20	304.40	Amphetamine-type Substance Use Disorder, Severe
F15.21	304.40	Amphetamine-type Substance Use Disorder, Severe, In early or sustained remission
F15.129	292.89	Amphetamine-type Substance Intoxication without Perceptual Disturbances, with Use Disorder, Mild
F15.229	292.89	Amphetamine-type Substance Intoxication without Perceptual Disturbances, with Use Disorder, Moderate or Severe
F15.929	292.89	Amphetamine-type Substance Intoxication without Perceptual Disturbances, without Use Disorder

CCC Drug Medi-Cal Organized Delivery System (DMC-ODS)
ICD-10/DSM-5
Effective 07/23/2021

ICD-10: Required for Share Care Billing	DSM-5	Diagnosis Description
F15.23	292.0	Amphetamine-type Substance Withdrawal
Cocaine		
F14.10	305.60	Cocaine Use Disorder, Mild
F14.11	305.60	Cocaine Use Disorder, Mild, In early or sustained remission
F14.20	304.20	Cocaine Use Disorder, Moderate
F14.21	304.20	Cocaine Use Disorder, Moderate, In early or sustained remission
F14.20	304.20	Cocaine Use Disorder, Severe
F14.21	304.20	Cocaine Use Disorder, Severe, In early or sustained remission
F14.129	292.89	Cocaine Intoxication, without Perceptual Disturbance with Use Disorder, Mild
F14.229	292.89	Cocaine Intoxication, without Perceptual Disturbance with Use Disorder, Moderate or Severe
F14.929	292.89	Cocaine Intoxication, without Perceptual Disturbance without Use Disorder
F14.23	292.0	Cocaine Withdrawal
The ICD-10 codes in blue are new as of October 2020 and the accompanying descriptions utilize ICD-10 specific language. For criteria to support the diagnosis, please utilize specific Cocaine withdrawal criteria.		
F14.13	292.0	Cocaine Abuse, Unspecified with withdrawal
F14.93	292.0	Cocaine Use, Unspecified with withdrawal
Other or Unspecified Stimulant		
F15.10	305.70	Other or Unspecified Stimulant Use Disorder, Mild
F15.11	305.70	Other or Unspecified Stimulant Use Disorder, Mild, In early or sustained remission
F15.20	304.40	Other or Unspecified Stimulant Use Disorder, Moderate
F15.21	304.40	Other or Unspecified Stimulant Use Disorder, Moderate, In early or sustained remission
F15.20	304.40	Other or Unspecified Stimulant Use Disorder, Severe
F15.21	304.40	Other or Unspecified Stimulant Use Disorder, Severe, In early or sustained remission
F15.129	292.89	Other Stimulant Intoxication without Perceptual Disturbances with Use Disorder, Mild
F15.229	292.89	Other Stimulant Intoxication without Perceptual Disturbances with Use Disorder, Moderate or Severe
F15.929	292.89	Other Stimulant Intoxication without Perceptual Disturbances without Use Disorder
F15.23	292.0	Other Stimulant Withdrawal
The ICD-10 code in blue is new as of October 2020 and the accompanying descriptions utilizes ICD-10 specific language. For criteria to support the diagnosis, please utilize specific Other Stimulant withdrawal criteria.		
F15.13	292.0	Other Stimulant Abuse with withdrawal

CCC Drug Medi-Cal Organized Delivery System (DMC-ODS)
ICD-10/DSM-5
Effective 07/23/2021

ICD-10: Required for Share Care Billing	DSM-5	Diagnosis Description
Sedative, Hypnotic, or Anxiolytic		
F13.10	305.40	Sedative, Hypnotic, Or Anxiolytic Use Disorder, Mild
F13.11	305.40	Sedative, Hypnotic, Or Anxiolytic Use Disorder, Mild, In early or sustained remission
F13.20	304.10	Sedative, Hypnotic, Or Anxiolytic Use Disorder, Moderate
F13.21	304.10	Sedative, Hypnotic, Or Anxiolytic Use Disorder, Moderate, In early or sustained remission
F13.20	304.10	Sedative, Hypnotic, Or Anxiolytic Use Disorder, Severe
F13.21	304.10	Sedative, Hypnotic, Or Anxiolytic Use Disorder, Severe, In early or sustained remission
F13.129	292.89	Sedative, Hypnotic, or Anxiolytic Intoxication, with Use Disorder, Mild
F13.229	292.89	Sedative, Hypnotic, or Anxiolytic Intoxication, with Use Disorder, Moderate or Severe
F13.929	292.89	Sedative, Hypnotic, or Anxiolytic Intoxication, without Use Disorder
F13.239	292.0	Sedative, Hypnotic, or Anxiolytic Withdrawal without Perceptual Disturbances with Use Disorder, Moderate or Severe
The ICD-10 codes in blue are new as of October 2020 and the accompanying descriptions utilize ICD-10 specific language. For criteria to support the diagnosis, please utilize specific Sedative, Hypnotic or Anxiolytic withdrawal criteria.		
F13.13	292.0	Sedative, Hypnotic or Anxiolytic Abuse with withdrawal
F13.132	292.0	Sedative, Hypnotic or Anxiolytic Abuse w/withdrawal w/perceptual disturbance
Cannabis		
F12.10	305.20	Cannabis Use Disorder, Mild
F12.11	305.20	Cannabis Use Disorder, Mild, In early or sustained remission
F12.20	304.30	Cannabis Use Disorder, Moderate
F12.21	304.30	Cannabis Use Disorder, Moderate, In early or sustained remission
F12.20	304.30	Cannabis Use Disorder, Severe
F12.21	304.30	Cannabis Use Disorder, Severe, In early or sustained remission
F12.23	292.0	Cannabis Withdrawal with Moderate or Severe use Disorder
F12.93	292.0	Cannabis Withdrawal, Without Use Disorder
F12.129	292.89	Cannabis Intoxication without Perceptual Disturbances with Use Disorder, Mild
F12.229	292.89	Cannabis Intoxication without Perceptual Disturbances with Use Disorder, Moderate to Severe
F12.929	292.89	Cannabis Intoxication without Perceptual Disturbances without Use Disorder
The ICD-10 code in blue is new as of October 2020 and the accompanying description utilizes ICD-10 specific language. For criteria to support the diagnosis, please utilize specific Cannabis withdrawal criteria.		
F12.13	292.0	Cannabis Abuse with withdrawal
Other Hallucinogen		
F16.10	305.30	Other Hallucinogen Use Disorder, Mild
F16.11	305.30	Other Hallucinogen Use Disorder, Mild, In early or sustained remission
F16.20	304.50	Other Hallucinogen Use Disorder, Moderate

CCC Drug Medi-Cal Organized Delivery System (DMC-ODS)
ICD-10/DSM-5
Effective 07/23/2021

ICD-10: Required for Share Care Billing	DSM-5	Diagnosis Description
F16.21	304.50	Other Hallucinogen Use Disorder, Moderate, In early or sustained remission
F16.20	304.50	Other Hallucinogen Use Disorder, Severe
F16.21	304.50	Other Hallucinogen Use Disorder, Severe, In early or sustained remission
F16.129	292.89	Other Hallucinogen Intoxication with Use Disorder, Mild
F16.229	292.89	Other Hallucinogen Intoxication with Use Disorder, Moderate or Severe
F16.929	292.89	Other Hallucinogen Intoxication without Use Disorder
Inhalant		
F18.10	305.90	Inhalant Use Disorder, Mild
F18.11	305.90	Inhalant Use Disorder, Mild, In early or sustained remission
F18.20	304.60	Inhalant Use Disorder, Moderate
F18.21	304.60	Inhalant Use Disorder, Moderate, In early or sustained remission
F18.20	304.60	Inhalant Use Disorder, Severe
F18.21	304.60	Inhalant Use Disorder, Severe, In early or sustained remission
F18.129	292.89	Inhalant Intoxication with Use Disorder, Mild
F18.229	292.89	Inhalant Intoxication with Use Disorder, Moderate to Severe
F18.929	292.89	Inhalant Intoxication without Use Disorder
Phencyclidine		
F16.10	305.90	Phencyclidine Use Disorder, Mild
F16.11	305.90	Phencyclidine Use Disorder, Mild, In early or sustained remission
F16.20	304.60	Phencyclidine Use Disorder, Moderate
F16.21	304.60	Phencyclidine Use Disorder, Moderate, In early or sustained remission
F16.20	304.60	Phencyclidine Use Disorder, Severe
F16.21	304.60	Phencyclidine Use Disorder, Severe, In early or sustained remission
F16.129	292.89	Phencyclidine (PCP) Intoxication with Use Disorder, Mild
F16.229	292.89	Phencyclidine (PCP) Intoxication with Use Disorder, Moderate or Severe
F16.929	292.89	Phencyclidine (PCP) Intoxication without Use Disorder
Opioid		
F11.10	305.50	Opioid Use disorder, Mild
F11.11	305.50	Opioid Use disorder, Mild, In early or sustained remission
F11.20	304.00	Opioid Use disorder, Moderate
F11.21	304.00	Opioid Use disorder, Moderate , In early or sustained remission
F11.20	304.00	Opioid Use disorder, Severe
F11.21	304.00	Opioid Use disorder, Severe , In early or sustained remission
F11.129	292.89	Opioid Intoxication without Perceptual Disturbances with Use Disorder, Mild
F11.229	292.89	Opioid Intoxication without Perceptual Disturbances with Use Disorder, Moderate or Severe
F11.929	292.89	Opioid Intoxication without Perceptual Disturbances without Use Disorder
F11.23	292.0	Opioid Withdrawal
The ICD-10 code in blue is new as of October 2020 and the accompanying description utilizes ICD-10 specific language. For criteria to support the diagnosis, please utilize specific Opioid withdrawal criteria.		
F11.13	292.0	Opioid Abuse with withdrawal



CCC Drug Medi-Cal Organized Delivery System (DMC-ODS)
ICD-10/DSM-5
 Effective 07/23/2021

ICD-10: Required for Share Care Billing	DSM-5	Diagnosis Description
Other (or Unknown) Substance		
F19.10	305.90	Other (or Unknown) Substance Use Disorder, Mild
F19.11	305.90	Other (or Unknown) Substance Use Disorder, Mild, In early or sustained remission
F19.20	304.90	Other (or Unknown) Substance Use Disorder, Moderate
F19.21	304.90	Other (or Unknown) Substance Use Disorder, Moderate, In early or sustained remission
F19.20	304.90	Other (or Unknown) Substance Use Disorder, Severe
F19.21	304.90	Other (or Unknown) Substance Use Disorder, Severe, In early or sustained remission
F19.129	292.89	Other (or Unknown) Substance Intoxication with Use Disorder, Mild
F19.229	292.89	Other (or Unknown) Substance Intoxication with Use Disorder, Moderate or Severe
F19.929	292.89	Other (or Unknown) Substance Intoxication without Use Disorder
F19.239	292.0	Other (or Unknown) Substance Withdrawal
The ICD-10 codes in blue are new as of October 2020 and the accompanying descriptions utilize ICD-10 specific language. For criteria to support the diagnosis, please utilize specific Other (or Unknown) Substance withdrawal criteria.		
F19.13	292.0	Other psychoactive substance with withdrawal
F19.130	292.0	Other psychoactive substance abuse w/withdrawal, uncomplicated
F19.132	292.0	Other psychoactive substance abuse w/withdrawal w/perceptual disturbance